
Quantum chaos and quantum gravity

Stephen Shenker

Stanford

Mackenzie Symposium November 7, 2019

Paul



Paul



Quantum chaos?

What is **Quantum** Chaos?

Butterfly effect

- In classical mechanics strong chaos is synonymous with:
- Sensitive dependence on initial conditions.
- $v(0), v(0) + \delta v(0)$ two nearby points in phase space:



- $|\delta v(t)| \sim e^{\lambda_L t} |\delta v(0)|$.
- Here λ_L is a Lyapunov exponent.
- What is the "quantum butterfly effect"?

Quantum diagnostics


- First idea two nearby states in Hilbert space:
- $|\chi\rangle, |\chi'\rangle, \quad || |\chi\rangle |\chi'\rangle || = \epsilon.$
- Then evolve in time.
- $\parallel e^{-iHt}(|\chi\rangle |\chi'\rangle) \parallel = \epsilon$
- Distance between quantum states does not change with time under unitary evolution.
- Need something better....

Quantum diagnostics

- General picture:
- Consider $W(t) = e^{iHt}W(0)e^{-iHt}$.
- Forward time evolution, apply simple operator, then backward time evolution.
- Chaos causes a lack of cancellation, Even if W(0) is simple, W(t) becomes a complicated operator.

Operator growth

A model: a set of N qubits, connected in groups of four.



$$H = \sum_{ijkl} J_{ijkl} \sigma_i \sigma_j \sigma_k \sigma_l$$

(Here σ_i is at site i and is short for σ_i^x, σ_i^y and σ_i^z . Take the J_{ijkl} to be randomly distributed, and different for the various x, y, z choices. In the SYK model the qubits are replaced by Majorana fermions.)

Operator growth, contd.

$$\sigma_{1}(t) = e^{iHt}\sigma_{1}e^{-iHt}$$

$$\sim \sigma_{1} + t[H, \sigma_{1}] + t^{2}[H, [H, \sigma_{1}]] + t^{3}[H, [H, [H, \sigma_{1}]]] + \dots$$

Remember $[\sigma,\sigma]\sim\sigma$ so

$$\sim \sigma_1 + t \sum_{jkl} \sigma_1 \sigma_j \sigma_k \sigma_l + t^2 \sum_{jkl} \sigma_1 \sigma_1 \dots \sigma_j + t^3 \sum_{jkl} \sigma_1 \sigma_1 \dots \sigma_j + \dots$$

- The operator "grows" in time, exponentially (each σ can "connect" to three others).
- The exponential growth of the size the average number of σ 's in each string defines a "quantum Lyapunov exponent".

Gravitational analog

- In certain large N quantum systems, strongly coupled quantum behavior is "dual" to classical gravitational behavior (gauge/gravity duality, AdS/CFT).
- Finite temperature systems are dual to black holes.
- What is the classical gravitational analog of quantum Lyapunov behavior?

Chaos in black holes

 Set up a fine tuned initial condition and tests its sensitivity to perturbation:



- A photon starting just outside the horizon, tuned to stay close for a long time t and finally depart.
- Requires starting exponentially close to the horizon, because the distance from the horizon increases exponentially in time.
- Requires an exponentially large amount of energy, which "redshifts" away.

Chaos in black holes, contd.



 Now perturb this initial condition a bit by dropping a particle into the black hole.



 The black hole becomes more massive, the horizon grows and swallows the photon.

Chaos in black holes, contd.



- The photon is trapped behind the horizon so it inevitably hits the singularity, a dramatically different outcome than before.
- If t is large the photon starts exponentially close to the horizon, so an exponentially small mass increase is enough to cause this.
- This exponential sensitivity is a signal of Lyapunov behavior.

Chaos bound


- The classical gravitational calculation, when translated to the quantum system, gives
- $\lambda_L = 2\pi k_B T/\hbar$.
- This turns out to be a universal upper bound on the rate of development of quantum chaos in systems with many degrees of freedom.
- "Black holes are the fastest scramblers."

Quantum gravity?

- This is fine as far as it goes, but the gravitational phenomena involved are basically classical.
- Can we learn anything about quantum gravity from quantum chaos?

Energy levels in quantum chaotic systems

 Quantized energy levels in quantum chaotic systems show a distinctive pattern:




- In chaotic systems neighboring energy levels repel: "short range level repulsion."
- The "gas" of energy levels is hard to compress: "long range spectral rigidity."

Random matrix statistics

- The energy levels of quantum chaotic systems are widely believed to have the same statistical properties as those of random matrices.
- A remarkable example of universality. Independent of dimension, locality. Only weakly dependent on symmetry.
- Should reflect a universal phenomenon in quantum gravity as well.
- A nonperturbative phenomenon.

Spectral form factor


- The spectral form factor is a quantitative diagnostic of random matrix statistics. $\sum e^{i(E_n E_m)t}$
- The Fourier transform of the energy difference distribution.



- The "slope" depends on the detailed ensemble.
- The "ramp" is a universal signature of long range spectral rigidity.
- The "plateau" is a universal signature of short range energy level repulsion. Sets in at a time corresponding to the inverse level spacing $\sim e^S$.

Mackenzie Symposium

Study structure of energy eigenvalues of a (model) black hole.




Sachdev-Ye-Kitaev (SYK) model


$$H_{\mathrm{SYK}} = \sum_{abcd}^{N} J_{abcd} \psi_a \psi_b \psi_b \psi_d$$



Spectral form factor

- Compute the spectral form factor for the SYK model
- (diagonalize 90 samples of $64K \times 64K$ matrices)






- Quantitative agreement with random matrix statistics.
- Spectral rigidity extends over an exponentially large number of energy levels.

What does it mean in quantum gravity?

- Generic black holes are chaotic so this pattern should be generic.
- SYK has a low energy sector dual to a kind of 2D gravity (Jackiw-Teitelboim gravity).
- Find the explanation there.

The ramp

• It turns out that the "ramp" is due to another saddle point of gravity, the "cylinder" or "annulus." A kind of Euclidean wormhole.





The plateau

 2D gravity on various topologies "looks" like a string theory, where here perturbative string splitting and joining is the nonperturbative joining and splitting of closed 2D "baby universes."


 It turns out that the plateau is due to a spacetime analog of "D-branes." These are nonperturbative effects in string theory. Here

they are "doubly" nonperturbative effects.





Summary



What does it mean?

Paul

